


## MP18-T1 迷你双刷洗地机 MP18-T1 MINI DOUBLE BRUSH SCRUBBER



 9" 刷盘 针座  
9inch\*2 brushes and pad holders.

设计简约时尚, 结构科学合理, 智能按键易操作 动力强劲, 持久续航 噪音小, 便于移动! 360度全面清洗结构集吸、洗于一体, 适用于多种高端场所, 如 会议室 咖啡馆 别墅、酒吧、医院、学校等。可轻松搞定各种油污、牛奶、茶渍等污渍。

The design is elegant and fashionable, the structure is scientific and reasonable. the intelligent key control easy to operate .the power is very strong, but low noise and easy to move ! The 360 degree cleaning structure, integrates suction and washing in one, suitable for a variety of high-end places, such as meeting rooms, cafes, villas, bars, hospitals, schools, etc. Easy to clean all kinds of stains.

### 产品细节特点 PRODUCT DETAILS

1. 18inch双刷盘配置, 清洗效率更高.
2. 智能面板显示水满报警, 双重水满保护装置, 使用更安心。
3. 定制控制器装置线路简单, 充分保护机器核心元器件的使用寿命及安全.
4. 进口美特防油胶条, 适应多种地面的清洗, 胶条耐用不变形
5. 品牌移动轮、防撞轮采用钣金件加固, 耐摔、防撞、耐用.
6. 水箱容量更大, 清洁效率更高, 一次性可清洗150平方米
7. 防回流装置技术, 防止污渍残留。
8. 充电便捷, 16A大容量磷酸铁锂电池安全耐用, 持续使用时长可达120多分钟。
9. 品牌洗地电机保证清洗效果, 优质吸水电机, 吸力强劲。吸洗后, 地板会在15秒内干燥。
10. 美国品牌马利希双刷配置清洗效果显著。
11. 一体成型铝制框架+加厚钣金结构, 推动更轻松

1. 18inch double brush disk configuration, cleaning efficiency is higher.
2. Intelligent panel shows full water alarm, double protection device, protect the motor and more secure.
3. The customized controller device makes the wiring simple and fully protects of the core components
4. Imported Meite oilproof rubber strip , very durable, and suitable for a variety of ground cleaning.
5. The brand mobile wheel and anti-collision wheel are reinforced with sheet metal parts, resistant to fall, collision and durable.
6. The water tank has larger capacity and higher cleaning efficiency, which can clean 150 square meters at a time.
7. Backflow prevention device technology to prevent stains from remaining.
8. Easy to charge, 16A large capacity lithium iron phosphate battery is safe and durable, Continuous use time can reach more than 120 minutes.
9. Brand brushing motor to ensure the cleaning effect, high quality suction motor, strong suction. After suction, the floor will dry within 15 seconds.
10. American brand Malish brushes configuration cleaning effect is remarkable.
11. Integrated aluminum frame + thickened sheet metal structure,easy operating.

型号 Model	MP18-T1
清洁宽度Squeegee width	520mm
清洁效率Cleaning efficiency	1200m <sup>2</sup> /H
刷子宽度 Brush width	9inch*2 /457mm
转速rotate speed	350RPM
清水箱容量Clean water tank capacity	6L
污水箱容量Dirty water tank capacity	9L
刷子数量Brush quantity	2pcs
电压Voltage	24V(12V optional)
刷盘功率Brush power	160W*2
吸水马达Suction Motor power	120W
噪音Noise level	65db
电池Battery capacity	16AH /12AH
工作时间 working time	2H/1.5H
充电时间Full charge time	3-5H
净重NET Weight	24kg
产品尺寸Dimension	L518*W410*H1235mm



# TC15-K2 洗地机 (电瓶式) TC15-K2 AUTO SCRUBBER




## 产品特点 FEATURES

- 设计紧凑,小巧灵活,结构牢固;
  - 操作面板一目了然,控制方便简单易操作;
  - ECO节能降噪模式,延长机器工作时间;
  - 污水箱内设有水满装置,保护吸水马达;
  - 符合人体工程学的手柄设计,可180度调节,最大限度适应不同的用户;
  - 可调节和可折叠的手柄,便于运输和存放;
  - 选用名牌电机,电池,充电器,胶条,使用寿命更具保障;
- Scientific design, compact and flexible, firm structure.
  - Intuitive operation panel, easy and convenient to control.
  - ECO with silent modes make it easy to clean over longer periods.
  - Recovery tank equips with floating device, well protect vacuum motor when sewage full.
  - Ergonomic handle design makes 180 degrees adjustable, fits multiple users.
  - Adjustable and foldable handle for easy transport and storage.
  - Famous motor, battery, charger, rubber blade, guarantee long lifetime.
  - Curved squeegee makes water absorption more effective.



型号 Model		TC15-K2	
电压Voltage	24V	吸力Vacuum degree	160mbar
功率Power	800W	清水箱容量 Solution tank	13L
清洁宽度Cleaning width	350mm	污水箱容量Recovery tank	15L
吸水宽度Squeegee width	420mm	噪音等级Sound level	70dB
清洁效率Productivity	1000m <sup>2</sup> /h	电池组Battery	2*12V/32Ah
转弯半径Turning radius	360mm	续航时间Running time	1.5 hours
刷盘电机Brush motor	400W	净重Net weight	60kgs
刷盘转速Brush speed	180rpm	毛重Gross weight	75kgs
刷盘压力Brush pressure	22kg	产品尺寸Product size	720*450*1030mm
吸水电机Vacuum motor	400W	包装尺寸Packing size	890*530*780mm



14寸刷盘 14寸针座  
14"brush 14"pad holder



胶条可双向使用  
strips can be used in both directions



前置注水口  
Inlet water of front (standard)



后置注水口  
Inlet water of back (optional)




美式吸水马达  
Ametek motor



加重水扒吸的更干净  
Weighted water scraps more clean



ECO模式的操作版面  
Operation panel with ECO mode



名牌电池  
Famous brand battery



优质充电器  
high quality charge

# TC55-K1 洗地机 (电瓶式)

## TC55-K1 AUTO SCRUBBER



适用场所:工厂,车间,仓库,机场,车站,商场,大型超市,酒店,商业大厦,学校,体育中心,医院,餐厅,以及具有广阔硬质地面的场所,以机械代替人力,清洁作业更为高效快捷。

Perfect choice for applications such as factory, workshop, warehouse, shopping mall, air port, station, supermarket, hotel, office building, school, sports center, hospital, restaurant, as well as places with broad hard ground, with machinery instead of manpower, cleaning becomes more efficient and faster.

- 外观设计紧凑,外壳与把手一体,结构牢固;
  - 操作面板一目了然,控制方便简单易操作,ECO模式更低噪音;
  - 更节能,适合光滑地面和环氧地坪;
  - 清水箱、污水箱容量大,保证长效工作;
  - 污水箱内设有水满装置,保护吸水马达;
  - 选用名牌电机,电池,充电器,胶条,使用寿命更具保障;
  - 弧形水刮,吸水更有效;
  - 刷盘加装防护罩,防止污水外溢;
- Compact design, shell and handle integrated, firm structure.
  - Intuitive operation panel, easy and convenient to control. And ECO mode much low noise and energy save, suitable for slick floor and epoxy floor.
  - Solution tank and recovery tank of large capacity, ensure long-term working.
  - Recovery tank equips with floating device, well protect vacuum motor when sewage full.
  - Famous motor, battery, charger, rubber blade, guarantee long lifetime.
  - Curved squeegee makes water absorption more effective.
  - Brush with protective cover to prevent sewage from overflowing.



型号 Model	TC55-K1
电压Voltage	24V
功率Power	1000W
清洁宽度Cleaning width	560mm
吸水宽度Squeegee width	830mm
清洁效率Productivity	1500-2300m <sup>2</sup> /h
转弯半径Turning radius	620mm
刷盘电机Brush motor	500W
刷盘转速Brush speed	150rpm
刷盘压力Brush pressure	28kg
吸水电机Vacuum motor	500W
吸力Vacuum degree	180mbar
清水箱容量 Solution tank	50L
污水箱容量Recovery tank	55L
噪音等级Sound level	68dB
电池组Battery	2*12V 100Ah
续航时间Running time	4 hours
净重Net weight	148kgs
毛重Gross weight	175kgs
产品尺寸Product size	1240 x 600 x 960mm
包装尺寸Packing size	1270 X 670 x 1130mm

带有ECO模式的操作版面  
Operation panel with ECO mode




21寸刷盘  
21"brush



21寸针座  
21"pad holder



美式吸水马达  
Ametek motor



弧形铸铝易装卸水扒 胶条可双向使用  
Arc cast aluminum water wiper easy up and down, the strips can be used in both directions



名牌洗地电机  
Famous brush motor



名牌电池  
Famous brand battery



优质充电器  
high quality charge

## TC80-K5 驾驶式洗地机 RIDE-ON FLOOR SCRUBBER (SINGLE BRUSH) TC80D-K5 驾驶式洗地机 RIDE-ON FLOOR SCRUBBER (DUAL BRUSH)

机动灵活易操作, 单、双刷可选择, 女性均可轻松驾驭, 适合多种场所, 例如: 工厂、车间、仓库、机场、车站、商场、大型超市、酒店、商业大厦、学校、体育中心、医院、餐厅, 以及具有广阔硬质地面的场所, 以机械代替人力, 清洁作业更为高效快捷。

Flexible and easy to operate, single and double brush can be selected, women can easily control, suitable for a variety of places, such as: factories, workshops, warehouses, airports, stations, shopping malls, supermarkets, hotels, commercial buildings, schools, sports centers, hospitals, restaurants, and places with broad hard ground, with machinery instead of manpower, cleaning operation more efficient and fast.



20" SINGLE BRUSH AVAILABLE

型号 Model	TC80-K5	TC80D-K5
电压 Voltage	24V	24V
清洁宽度 Cleaning width	560mm	760mm
吸水宽度 Squeegee width	820mm	820mm
清洁效率 Productivity	3500m <sup>2</sup> /h	3800m <sup>2</sup> /h
行走速度 Walking Speed	0-9km/h	0-9km/h
后驱电机 Driving motor (Rear-driven)	500W	500W
刷盘电机 Brush motor	500W	2*300W
刷盘转速 Brush speed	180rpm	180rpm
刷盘压力 Brush pressure	25kg	25kg
吸水电机 Vacuum motor	500W	500W
吸力 Vacuum degree	180mbar	180mbar
清水箱容量 Solution tank	70L	70L
污水箱容量 Recovery tank	80L	80L
噪音等级 Sound level	61dB	61dB
电池组 Battery	2*12V/100Ah	2*12V/120Ah
续航时间 Running time	3~4 hours	3~4 hours
净重 Net weight	223kgs	223.5kgs
毛重 Gross weight	252kgs	252.5kgs
产品尺寸 Product size	1200*820*1150mm	1200*820*1150mm
包装尺寸 Packing size	1360*810*1295mm	1360*810*1295mm

- 集成电路控制器, 全方位保护, 自动检测故障提示警报。
- 500W大功率后驱电机 (优势: 转向灵活, 自动电刹功能, 爬坡能力强劲)
- ECO节能模式, 可大幅增加工作续航时间
- 采用热混料水箱, 韧性更强, 耐用抗碰撞, 使用寿命长达10年时间
- 污水满智能停机报警保护。
- 电刹解除, 防止机器电量不足时手推移动机器
- 核心配置全部采用一线大品牌供应商

- Integrated circuit controller, all-round protection, automatic detection of fault warning.
- 500W high-power rear drive motor (flexible steering, automatic electric brake function, strong climbing ability)
- ECO energy saving mode, can greatly increase the working time
- The use of hot mixing water tank, toughness is stronger, durable collision resistance, service life of up to 10 years
- Sewage full intelligent stop alarm protection.
- Electric brake to remove the device, so that the machine power is insufficient to push the machine
- All the core configurations use first-line brand suppliers.



不锈钢易装卸水扒胶条可双向使用  
Stainless steel scraper easy installation, the rubber strip can be used in both directions



13寸刷盘\*2  
13"Brush\*2



13寸针座\*2  
13"Pad holder\*2



带有ECO模式的智能化操作版面  
Operation panel with ECO mode



名牌电池  
Famous brand battery

# TC105-K6 驾驶式洗地机 TC105-K6 RIDE-ON SCRUBBER

- 设计科学合理, 高度机动, 将直观的操作、高效的性能集中于一体;
- 智能化控制面板易操作, 同时对电机和电池提供强大的保护功能;
- ECO节能降噪模式, 延长机器工作时间;
- 污水箱内设有水满装置和感应器, 保护吸水马达;
- 选用名牌电机, 电池, 充电器, 胶条, 使用寿命更具保障;
- 适用范围: 各种硬质地面如: 环氧地坪漆 水泥地面 瓷砖地面, 大理石地面等;

- Scientific and reasonable design, highly mobile, combines intuitive operation and high-efficiency performance.
- The intelligent control panel is easy to operate and provides powerful protection for the motor and battery.
- Eco with silent modes make it easy to clean over longer periods.
- Recovery tank equips with floating device and sensor, well protect vacuum motor when sewage full.
- Famous motor, battery, charger, rubber blade, guarantee long lifetime.
- Scope of application: all kinds of hard floor such as: epoxy floor paint cement floor tile floor, marble floor, etc.

型号 Model	TC105-K6
电压Voltage	24V
清洁宽度Cleaning width	760mm
吸水宽度Squeegee width	1020mm
清洁效率Productivity	4200m <sup>2</sup> /h
行走速度Walking Speed	0-9km/h
前驱电机Driving motor	650W
升降电机 Lifting -motor	2*800W
刷盘电机Brush motor	2*300W
刷盘转速Brush speed	180rpm
刷盘压力Brush pressure	28kg
吸水电机Vacuum motor	500W
吸力Vacuum degree	180mbar
清水箱容量 Solution tank	100L
污水箱容量Recovery tank	105L
噪音等级Sound level	63dB
电池组Battery	2*12V/120Ah
续航时间Running time	3~4 hours
净重Net weight	262kgs
毛重Gross weight	334kgs
产品尺寸Product size	1300*920*1274mm
包装尺寸Packing size	1390*830*1375mm



优质充电器  
high quality charge



名牌电池  
Famous brand battery



进口胶条  
Import strip



名牌洗地电机  
Famous brush motor



名牌吸水电机  
Famous vacuum motor



名牌洗地电机  
Famous brush motor



优质充电器  
high quality charge



13寸刷盘\*2  
13"Brush\*2



13寸针座\*2  
13"Pad holder\*2



升降电机  
Lifting motor



带有ECO模式的智能化操作版面  
Operation panel with ECO mode



弧形铸铝易装卸水扒胶条可双向使用  
Arc cast aluminum water wiper easy up and down, the strips can be used in both directions



## TC140-K8 驾驶式洗地机 RIDE-ON FLOOR SCRUBBER TC140H-K8 驾驶式洗地机 RIDE-ON FLOOR SCRUBBER (REAR-DRIVEN)

智能机动灵活易操作, 适合多种场所, 例如: 工厂, 车间, 仓库, 机场, 车站, 商场, 大型超市, 酒店, 商业大厦, 学校, 体育中心, 医院, 餐厅, 以及具有广阔硬质地面的场所, 以机械代替人力, 清洁作业更为高效快捷。

Intelligent mobility is flexible and easy to operate, suitable for a variety of places, such as: factories, workshops, warehouses, airports, stations, shopping malls, supermarkets, hotels, commercial buildings, schools, sports centers, hospitals, restaurants, and places with broad hard ground, with machinery instead of manpower, cleaning operation more efficient and fast.



型号 Model	TC140-K8	TC140H-K8
电压 Voltage	24V	24V
清洁宽度 Cleaning width	860mm	860mm
吸水宽度 Squeegee width	1050mm	1050mm
清洁效率 Productivity	5500m <sup>2</sup> /h	5500m <sup>2</sup> /h
行走速度 Walking Speed	0-9km/h	0-9km/h
驱动电机 Driving motor	760W (Front-driven)	800W (Rear-driven)
刷盘电机 Brush motor	2*500W	2*500W
刷盘转速 Brush speed	180rpm	180rpm
刷盘压力 Brush pressure	30kg	30kg
吸水电机 Vacuum motor	600W	600W
吸力 Vacuum degree	180mbar	180mbar
清水箱容量 Solution tank	120L	120L
污水箱容量 Recovery tank	140L	140L
噪音等级 Sound level	63dB	63dB
电池组 Battery	4*6V/200Ah	4*6V/200Ah
续航时间 Running time	4-5hours	4-5 hours
净重 Net weight	370kgs	370kgs
毛重 Gross weight	418kgs	418kgs
产品尺寸 Product size	1450*1050*1350mm	1450*1050*1350mm
包装尺寸 Packing size	1540*940*1445mm	1540*940*1445mm

- 集成电路控制器, 一键启动功能, 自动检测故障提示警报。
- 前驱版为760W大功率艾玛进口品牌前驱电机, 转向灵活;
- 后驱版为800W后驱电机, 动力强劲, 轻松爬坡!
- ECO节能模式, 可大幅增加工作续航时间
- 双推杆电机, 自动升降水扒刷盘。
- 采用热混料水箱, 韧性更强, 耐用抗碰撞, 使用寿命长达10年时间
- 污水满智能停机报警保护
- 电刹解除, 防止机器电量不足时手推移动机器
- 核心配置全部采用一线大品牌供应商
- Integrated circuit controller, one-button start function, automatic detection of fault warning;
- The front drive version is 760W high-power AMER imported brand front drive motor, flexible steering;
- Rear drive version for 800W rear drive motor, strong power, easy climbing!
- ECO energy-saving mode, can greatly increase the working time;
- Double push rod motor, automatic lifting wiper and brush plates;
- The use of hot mix water tank, toughness is stronger, durable collision resistance, service life of up to 10 years;
- Sewage full intelligent stop alarm protection;
- The electric brake is lifted to prevent the machine from moving by hand when the power is insufficient;
- The core configuration all uses the first-line big brand suppliers;



15寸刷盘\*2  
15"Brush\*2



15寸针座\*2  
15"Pad holder\*2



名牌电池  
Famous brand battery



带有ECO模式的智能化操作版面  
Operation panel with ECO mode



不锈钢易装卸水扒 胶条可双向使用  
Stainless steel scraper easy installation, the rubber strip can be used in both directions

# TC180-K7 驾驶式洗地机 TC180-K7 RIDE-ON SCRUBBER



适用场所:工厂, 车间, 仓库, 机场, 车站, 商场, 大型超市, 酒店, 商业大厦, 学校, 体育中心, 医院, 餐厅, 以及具有广阔硬质地面的场所, 以机械代替人力, 清洁作业更为高效快捷。

Perfect choice for applications such as factory, workshop, warehouse, shopping mall, air port, station, supermarket, hotel, office building, school, sports center, hospital, restaurant, as well as places with broad hard ground, with machinery instead of manpower, cleaning becomes more efficient and faster.

- 外观设计紧凑, 高度机动, 结构牢固, 将直观的操作、高效的性能集中于一体。
- 集成电路控制器带有一键启动功能, 自动检测故障并带有报警提示。自动开启刷地、吸水功能, 集成在仪表板中直观显示。
- ECO节能降噪模式, 延长机器工作时间。
- 污水箱内设有水满装置和感应器, 保护吸水马达。
- 选用名牌电机、电池、充电器、胶条、刷子 使用寿命更具保障。
- 弧形水刮, 吸水更有效。
- With compact design, highly maneuverable and firm structure, combines intuitive operation and high-efficiency performance.
- Dashboard with One-Touch button, automatically start scrubbing, absorbing, automatic fault detection and alarm prompt, integrated in the dashboard intuitive display
- Eco with silent modes make it easy to clean over longer periods.
- Recovery tank equips with floating device and sensor, well protect vacuum motor when sewage full.
- Famous motor, battery, charger, rubber blade, brush, guarantee long lifetime. Curved squeegee makes water absorption more effective.



进口胶条  
Import strip



名牌吸水电机  
Famous vacuum motor



名牌洗地电机  
Famous brush motor



优质充电器  
high quality charge

型号 Model	TC180-K7
电压Voltage	24V
清洁宽度Cleaning width	860mm
吸水宽度Squeegee width	1150mm
清洁效率Productivity	6000m <sup>2</sup> /h
行走速度Walking Speed	0-7km/h
前驱电机Driving motor	800W
刷盘电机Brush motor	2*500W
刷盘转速Brush speed	180rpm
刷盘压力Brush pressure	28kg
吸水电机Vacuum motor	550W
吸力Vacuum degree	180mbar
清水箱容量 Solution tank	170L
污水箱容量Recovery tank	180L
噪音等级Sound level	<68dB
电池组Battery	4*6V/200Ah
续航时间Running time	4~6 hours
净重Net weight	380kgs
毛重Gross weight	483kgs
产品尺寸Product size	1600*1050*1450mm
包装尺寸Packing size	1720*1050*1565mm



17寸刷盘\*2  
17"Brush\*2



17寸针座\*2  
17"Pad holder\*2



名牌电池  
Famous brand battery



带有ECO模式的智能化操作版面  
Operation panel with ECO mode



弧形铸铝易装卸水扒, 胶条可双向使用  
Arc cast aluminum water wiper easy up and down, the strips can be used in both directions